L Number	Hits	Search Text	DB	Time stamp
4	1	("5471176").PN.	USPAT	2004/10/07 08:32
5		(("5471176").PN.) and glitch\$4	USPAT	2004/10/07 09:03
6	1	("6556583").PN.	USPAT	2004/10/07 08:44
1 7	91200	341/\$ or 375/\$	USPAT;	2004/10/07 09:07
			US-PGPUB	
8	103	(341/\$ or 375/\$) and "serdes"	USPAT;	2004/10/07 09:20
		(270/260)	US-PGPUB	
1-	443	(370/360.ccls.and(@ad<19991116or@prad<19991	US-PGPUB	99904760706CLS:41
_	407	((370/360.ccls.and(@ad<19991116or@prad<1999		1 9 9 9 1 7 1 5 7 1 5 7 1 5 7 1 5 3 9
		and switch\$	US-PGPUB	
-	269	(((370/360.ccls.and(@ad<19991116or@prad<199	UEP65r@rlad	2009101615.C6L81)
	0.40	and switch\$) and multiplex\$	US-PGPUB	0001/01/15 16 19
j -	242	glitch\$ with multiplex\$	USPAT;	2004/01/15 16:43
			US-PGPUB;	
		, and the second	EPO; JPO; DERWENT;	
			IBM TDB	
1_	159	(glitch\$ with multiplex\$) and	USPAT;	2004/01/15 16:43
	197	(@ad<19991116 or @prad<19991116 or	US-PGPUB;	2001/01/10 10.43
		@rlad<19991116)	EPO; JPO;	
			DERWENT;	į
			IBM_TDB	
-	52555	370/\$ and switch\$	USPĀT;	2004/04/22 11:45
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
_	44609	/370/\$ and quitch\$\ and /8-4-10001116	IBM_TDB	2004/01/16 12 11
[-	44009	(370/\$ and switch\$) and (@ad<19991116 or @prad<19991116)	USPAT; US-PGPUB;	2004/01/16 13:44
		cprud(1)))IIIO OI GIIGU(1))	EPO; JPO;	
1	ĺ		DERWENT;	
			IBM TDB	
-	86	((370/\$ and switch\$) and (@ad<19991116 or	USPĀT;	2004/01/16 10:40
		@prad<19991116 or @rlad<19991116)) and	US-PGPUB;	. ==:3•
		((double adj data adj rate) or DDR or	EPO; JPO;	
	•	(dual adj edge))	DERWENT;	
_	21.01.0	//270/6 and quit-hab and /0 1/10001116	IBM_TDB	0004/02/25 55 55
-	21019	((370/\$ and switch\$) and (@ad<19991116 or @prad<19991116 or @rlad<19991116)) and	USPAT;	2004/01/16 10:43
		multiplex\$	US-PGPUB; EPO; JPO;	
		marcipicay	DERWENT;	
			IBM TDB	
-	384	(((370/\$ and switch\$) and (@ad<19991116 or	USPAT;	2004/01/16 10:45
		@prad<19991116 or @rlad<19991116)) and	US-PGPUB;	
		multiplex\$) and glitch\$	EPO; JPO;	
			DERWENT;	
ļ ·		////270/0	IBM_TDB	
-	157	((((370/\$ and switch\$) and (@ad<19991116	USPAT;	2004/01/16 11:29
		or @prad<19991116 or @rlad<19991116)) and multiplex\$) and glitch\$) and (flip adj	US-PGPUB;	
		flop\$)	EPO; JPO; DERWENT;	
		110071	IBM TDB	
-	40	370/541.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 11:57
		@prad<19991116 or @rlad<19991116)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	614	370/535.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 12:06
	İ	@prad<19991116 or @rlad<19991116)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	12	(370/535.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 12:00
	**	@prad<19991116 or @rlad<19991116)) and	US-PGPUB;	2004/01/10 12:00
		(glitch\$ or hazard\$)	EPO; JPO;	
]			DERWENT;	
L			IBM TDB	

-	164	1	USPAT;	2004/04/28 14:52
		@prad<19991116 or @rlad<19991116)	US-PGPUB;	
İ		•	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	4	(0.0,0000000000000000000000000000000000	USPAT;	2004/01/16 12:08
1		@prad<19991116 or @rlad<19991116)) and	US-PGPUB;	
Ì		(glitch\$ or hazard\$)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	123	1	USPĀT;	2004/01/16 13:20
		@prad<19991116 or @rlad<19991116)	US-PGPUB;	
			EPO; JPO;	
	İ		DERWENT;	
			IBM TDB	
-	3		USPĀT;	2004/01/16 13:23
		@prad<19991116 or @rlad<19991116)) and	US-PGPUB;	
		(glitch\$ or hazard\$)	EPO; JPO;	
i			DERWENT;	
		•	IBM TDB	
-	449		USPAT;	2004/01/16 13:27
1		@prad<19991116 or @rlad<19991116)	US-PGPUB;	1
.			EPO; JPO;	1
1			DERWENT;	
	1	•	IBM TDB]
-	4	(370/524.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 13:24
ł		@prad<19991116 or @rlad<19991116)) and	US-PGPUB;	2001, 01, 10 10.21
		(glitch\$ or hazard\$)	EPO; JPO;	
1		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DERWENT;	
1			IBM TDB	l i
_	901	370/347.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 13:31
		@prad<19991116 or @rlad<19991116)	US-PGPUB;	2004/01/10 13.31
i		cprdd drop or cridd drop of the	EPO; JPO;	
	1	·	DERWENT;	
			IBM TDB	
_	15	(370/347.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 13:31
	1	@prad<19991116 or @rlad<19991116)) and	US-PGPUB;	2004/01/16 13:31
		(glitch\$ or hazard\$)	EPO; JPO;	
		(gricont or nazarat)	DERWENT;]
		•	IBM TDB	
_	345	370/442.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 13:31
		@prad<19991116 or @rlad<19991116)	US-PGPUB;	2004/01/16 13:31
	·	cprad(19991110 Or elida(19991110)	EPO; JPO;	
1			DERWENT;	· ·
			IBM TDB]
_	332	370/384.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 13:31
		@prad<19991116 or @rlad<19991116)	US-PGPUB;	2004/01/10 13:31
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1019	370/465.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 13:32
	1017	@prad<19991116 or @rlad<19991116)	US-PGPUB;	2004/01/10 13:32
			EPO; JPO;	
[DERWENT;	
	į		IBM TDB	
-	1408	(370/442.ccls. and (@ad<19991116 or	USPAT	2004/01/16 13:32
	-100	@prad<19991116 or @rlad<19991116)) or	JULAI	2004/01/10 13:35
		(370/384.ccls. and (@ad<19991116 or		
		@prad<19991116 or @rlad<19991116)) or		
		(370/465.ccls. and (@ad<19991116 or		
		@prad<19991116 or @rlad<19991116))		
_	28	((370/442.ccls. and (@ad<19991116 or	USPAT;	2004/01/16 13:44
	29	@prad<19991116 or @rlad<19991116)) or	US-PGPUB;	2004/01/16 13:44
		(370/384.ccls. and (@ad<19991116 or	EPO; JPO;	.]
		@prad<19991116 or @rlad<19991116)) or	DERWENT;	
		(370/465.ccls. and (@ad<19991116 or	IBM TDB	
]		@prad<19991116 or @rlad<19991116))) and	*Dt.1_10D	
į l		(glitch\$ or hazard\$)		
		Canada Cari		<u> </u>

-	867	((370/\$ and switch\$) and (@ad<19991116 or	USPAT;	2004/01/16 13:49
		@prad<19991116 or @rlad<19991116)) and	US-PGPUB;	,
		(glitch\$ or hazard\$)	EPO; JPO;	
ļ			DERWENT; IBM TDB	
_	570	(((370/\$ and switch\$) and (@ad<19991116 or	USPAT;	2004/01/16 13:50
	3,0	@prad<19991116 or @rlad<19991116)) and	US-PGPUB;	2004/01/10 13.30
		(glitch\$ or hazard\$)) and multiplex\$	EPO; JPO;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DERWENT;	
			IBM_TDB	
-	160	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPĀT;	2004/01/16 14:17
		or @prad<19991116 or @rlad<19991116)) and	US-PGPUB;	
		(glitch\$ or hazard\$)) and multiplex\$) and	EPO; JPO;	
		(flip adj flop)	DERWENT; IBM TDB	
_	. 1	("6335932").PN.	USPAT	2004/01/16 14:17
_	1		USPAT	2004/01/10 14:17
_	40		USPAT;	2004/04/22 11:58
		@rlad<19991116)	US-PGPUB;	
	1		EPO; JPO;	
,			DERWENT;	
		270/260 644 525 525 525 525 525	IBM_TDB	
-	5839	370/360,541,535,536,375,524,347,442,384,465		2004/04/22 15:45
		and (@ad<19991116 or @rlad<19991116)	US-PGPUB;	i i
			EPO; JPO; DERWENT;	
			IBM TDB	
-	5839	370/360,541,535,536,375,524,347,442,384,465		2004/04/23 09:23
		and (@ad<19991116 or @rlad<19991116)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1	1,000,4050,544,505,505,000,000	IBM_TDB	
-	44	(370/360,541,535,536,375,524,347,442,384,46		2004/04/22 16:05
		and (@ad<19991116 or @rlad<19991116)) and	US-PGPUB;	
		girchs	EPO; JPO; DERWENT;	
			IBM TDB	
_	524	glitch\$ same multiplex\$	USPAT;	2004/04/22 16:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	247	(alibabe assaurulbislasse) assa	IBM_TDB	0004/04/00 15 15
1	347	(glitch\$ same multiplex\$) and (@ad<19991116 or @rlad<19991116)	USPAT; US-PGPUB;	2004/04/22 16:15
		(ead(19391110 Of ellad(19991110)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	13	glitchless adj multiplex\$	USPAT;	2004/04/22 16:16
			US-PGPUB;	1
			EPO; JPO;	į į
			DERWENT; IBM TDB	
-	122	370/366.ccls. and (@ad<19991116 or	USPAT;	2004/04/23 09:47
		@rlad<19991116)	US-PGPUB;	2003/03/23 03:4/
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	9641	multiplexer\$ same (flip adj flop\$)	USPAT;	2004/04/23 09:48
			US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM TDB	
-	8183	(multiplexer\$ same (flip adj flop\$)) and	USPAT;	2004/04/23 09:50
]	(@ad<19991116 or @rlad<19991116)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1750	((multiplexer\$ same (flip adj flop\$)) and	USPAT;	2004/04/23 09:51
		(@ad<19991116 or @rlad<19991116)) and	US-PGPUB;	
		(DDR or (double adj data adj rate) or (rising adj edge) or (falling adj edge))	EPO; JPO; DERWENT;	
		(2202mg day cage, or (ratting au) eage))	IBM TDB	

_	1268		USPAT;	2004/04/23 09:52
		(@ad<19991116 or @rlad<19991116)) and	US-PGPUB;	
		(DDR or (double adj data adj rate) or (rising adj edge) or (falling adj edge)))	EPO; JPO; DERWENT;	
		and memory	IBM TDB	
_	981	((((multiplexer\$ same (flip adj flop\$))	USPAT;	2004/04/23 11:13
		and (@ad<19991116 or @rlad<19991116)) and	US-PGPUB;	
		(DDR or (double adj data adj rate) or	EPO; JPO;	
	1	(rising adj edge) or (falling adj edge)))	DERWENT;	
		and memory) and switch\$	IBM_TDB	
-	"	395/885,891,310,308,309.ccls. and (@ad<19991116 or @rlad<19991116)	USPAT; US-PGPUB;	2004/04/23 11:19
		((dd (1999 1116 Of	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
-	78101	370/\$ and (@ad<19991116 or @rlad<19991116)	USPAT;	2004/04/23 11:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	8456	(370/\$ and (@ad<19991116 or	IBM_TDB USPAT;	2004/04/23 11:23
	0430	(37073 and (ead<19991116 of erlad<19991116) and (parallel same	US-PGPUB;	2007/04/23 11:23
		serial)	EPO; JPO;	
		<u>'</u>	DERWENT;	
			IBM_TDB	
-	1500	((370/\$ and (@ad<19991116 or	USPAT;	2004/04/23 11:24
1		<pre>@rlad<19991116)) and (parallel same serial)) and (multiplex\$ and (flip adj</pre>	US-PGPUB; EPO; JPO;	
		flop\$))	DERWENT;	
		12000777	IBM TDB	
-	1145	(((370/\$ and (@ad<19991116 or	USPĀT;	2004/04/23 11:24
		@rlad<19991116)) and (parallel same	US-PGPUB;	
1 :		serial)) and (multiplex\$ and (flip adj	EPO; JPO;	
		flop\$))) and memory	DERWENT;	
_	1117	((((370/\$ and (@ad<19991116 or	IBM_TDB USPAT;	2004/04/23 11:27
		@rlad<19991116)) and (parallel same	US-PGPUB;	2004/04/25 11.27
		serial)) and (multiplex\$ and (flip adj	EPO; JPO;	
		flop\$))) and memory) and clock	DERWENT;	
	1	(#6334670#) px	IBM_TDB	0004/04/00 14 50
	1 1	("6324679").PN. (("6324679").PN.) and hazard\$	USPAT USPAT	2004/04/28 14:52 2004/04/28 14:58
-	1	("6556583").PN.	USPAT	2004/04/28 14:59
-	7451	370/366, 368, 321, 337, 347, 442, 476, 535, 536, 537		,2004¢64\$28 15:02
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT; IBM TDB	
-	5662	370/366,368,321,337,347,442,476,535,536,537		,2004¢64≴28 15:05
		and (@ad<19991116 or @ad<19991116)	US-PGPUB;	,
			EPO; JPO;	
			DERWENT;	
_	1851	(370/366 368 391 397 347 440 476 595 596 596	IBM_TDB	COBM7/84790 15 00
	1031	(370/366,368,321,337,347,442,476,535,536,53) and (@ad<19991116 or @ad<19991116)) and	US-PGPUB;	otomatgetag 12:02
		(multiplexer\$ or multiplexor\$ or MUX)	EPO; JPO;	
1		·	DERWENT;	
			IBM_TDB	
-	421	((370/366, 368, 321, 337, 347, 442, 476, 535, 536, 5)		18984704¢28.15:10
		and (@ad<19991116 or @ad<19991116)) and (multiplexer\$ or multiplexor\$ or MUX)) and	US-PGPUB; EPO; JPO;	
		(flip adj flop\$)	DERWENT;	
			IBM_TDB	
·-	579	341/100,101.ccls. and (@ad<19991116 or	USPAT;	2004/04/29 10:22
		@ad<19991116)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	·			

j -	.28		USPAT;	2004/04/29 10:23
		@ad<19991116)	US-PGPUB;	
			EPO; JPO;	
	:		DERWENT;	1
	1	265 (22, 242, 242, 242, 242, 242, 242, 242,	IBM_TDB	
_	174	,,	USPAT;	2004/04/29 10:23
ļ		@ad<19991116)	US-PGPUB;	
	į	·	EPO; JPO;	
	ľ		DERWENT;	
			IBM_TDB	
-	694	1	USPAT;	2004/04/29 10:24
		@ad<19991116)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1471	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/04/29 10:29
		@ad<19991116)) or (345/29.ccls. and	US-PGPUB;	
		(@ad<19991116 or @ad<19991116)) or	EPO; JPO;	
1	1	(365/83,219.ccls. and (@ad<19991116 or	DERWENT;	
		@ad<19991116)) or (375/211,214.ccls. and	IBM TDB	
		(@ad<19991116 or @ad<19991116))	_	
_	222	((341/100,101.ccls. and (@ad<19991116 or	USPAT;	2004/04/29 10:29
		@ad<19991116)) or (345/29.ccls. and	US-PGPUB;	
		(@ad<19991116 or @ad<19991116)) or	EPO; JPO;	
		(365/83,219.ccls. and (@ad<19991116 or	DERWENT;	
	1	@ad<19991116)) or (375/211,214.ccls. and	IBM TDB	
		(@ad<19991116 or @ad<19991116))) and	12122	
		(multiplexer or multiplexor or MUX)		
_	2235		USPAT;	2004/10/06 15:42
1	1200	delast of (seriality's and describingly's)	US-PGPUB;	2004/10/00 13:42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	963	("serdes" or (serializ\$3 and	USPAT;	2004/10/06 15:47
	505	deserializ\$3)) and (@ad<19991116 or	US-PGPUB;	2004/10/06 15:4/
		@rlad<19991116)	EPO; JPO;	
		01144(1)))11110/	DERWENT;	
			IBM TDB	
_	9	((("serdes" or (serializ\$3 and	USPAT;	2004/10/06 15:40
		deserializ\$3)) and (@ad<19991116 or	US-PGPUB;	2004/10/06 15:48
		@rlad<19991116)) and multiplex\$3) and		
		("double data rate" or "dual edge" or DDR)	EPO; JPO;	
		(doubte data rate of "dual edge" or DDR)	DERWENT;	
_	593	//!gardag! or /gariali=62 and	IBM_TDB	0004/10/07 05 55
_	593	(, (USPAT;	2004/10/07 08:32
		deserializ\$3)) and (@ad<19991116 or	US-PGPUB;	
		@rlad<19991116)) and multiplex\$3	EPO; JPO;	
			DERWENT;	
	<u></u>		IBM_TDB	